

WARM GINGER GLOW 18”

WARNING: It is imperative that the flame does not come into contact with the logs. Some adjustment with the logs in the notches may be required in order to ensure that there is no impingement. It is the installers' responsibility to ensure proper log placement and adjustment.

WARNING: Failure to position the parts in accordance with these diagrams or failure to use only parts specifically approved with this appliance will result in property damage or personal injury

Step 1: Place back log A-0851



Step 2: Place middle log A-0850




WARM GINGER GLOW 18"

Step 3: Place front log A-0849



Step 4: Place logs A-0837 & A-0839



WARM GINGER GLOW 18"

Step 4: Place logs A-0852, H-0964 & H-0963




WARM GINGER GLOW 24"

WARNING: It is imperative that the flame does not come into contact with the logs. Some adjustment with the logs in the notches may be required in order to ensure that there is no impingement. It is the installers' responsibility to ensure proper log placement and adjustment.

WARNING: Failure to position the parts in accordance with these diagrams or failure to use only parts specifically approved with this appliance will result in property damage or personal injury

STEP 1: Place back log # A-0836




STEP 2: Place middle log # A-0835



WARM GINGER GLOW 24"

STEP 3: Place front log # A-0834



STEP 4: Place left log # A-0838



WARM GINGER GLOW 24"

STEP 5: Place right log # A-0837




STEP 6: Place log # A-0839 left




WARM GINGER GLOW 24"

STEP 7: Place logs A-0839 center, A-0821, H-0963 & H-0964



Individual logs




WARM GINGER GLOW 30"

WARNING: It is imperative that the flame does not come into contact with the logs. Some adjustment with the logs in the notches may be required in order to ensure that there is no impingement. It is the installers' responsibility to ensure proper log placement and adjustment.

WARNING: Failure to position the parts in accordance with these diagrams or failure to use only parts specifically approved with this appliance will result in property damage or personal injury

STEP 1: Place back log # A-0848




STEP 2: Place middle log # A-0847



WARM GINGER GLOW 30"

STEP 3: Place front log # A-0846




STEP 4: Place log # A-0838




WARM GINGER GLOW 30"

STEP 5: Place logs # A-0837 & A-0852



STEP 6: Place log # A-0839, A-0853 H-0963 & H-0964



WARM GINGER GLOW 30"

Individual logs

A-0848 back



A-0847middle



A-0846 front



A-0837



A-0839



A-0838




A-0852



A-0853



H-0963



H-0964

